

	<p style="text-align: center;"><b>City of Anderson</b>  <b>Development Services Department</b>  <b>Building Division</b>  1887 Howard Street  Anderson CA, 96007  Telephone (530) 378-6636</p> <p style="text-align: center;"><b>WATER-CONSERVING PLUMBING FIXTURES</b>  <b>CERTIFICATE OF COMPLIANCE</b></p> <p style="text-align: center;"><i>(For buildings built on or before Jan. 1, 1994)</i></p>	<p style="text-align: center;">Information  Bulletin</p> <p style="text-align: center;"><b>PLG-01</b></p> <p style="text-align: center;">Eff. 11-17-2015</p>
---	---	--

Project Address: \_\_\_\_\_ Permit No: \_\_\_\_\_

I certify, under penalty of perjury, as owner of this property, that noncompliant plumbing fixtures have been replaced with water-conserving plumbing fixtures in accordance with Civil Code Sections 1101.1 through 1101.8, the current California Plumbing Code and California Green Building Standards Code, and manufacturer's installation requirements, and that the water-conserving plumbing fixtures comply with the requirements as listed below.

Owner's Name: \_\_\_\_\_ Date: \_\_\_\_\_

Owner's Signature: \_\_\_\_\_

<b>SINGLE-FAMILY RESIDENTIAL</b>	
<b>Fixture</b>	<b>CA Green &amp; CA Plumbing Codes</b>
Water Closet	1.28 gals/flush
Showerhead	2.0 gals/min
Multiple Showerheads	2.0 gals/min combined
Lavatory Faucet	1.5 gals/min
Kitchen Faucet	1.8 gals/min

<b>MULTI-FAMILY RESIDENTIAL</b>	
Water Closet	1.28 gals/flush
Urinal	0.5 gals/flush
Showerhead	2.0 gals/min
Multiple Showerheads	2.0 gals/min combined
Lavatory Faucets (within units)	1.5 gals/min
Lavatory Faucets (common areas)	0.5 gals/min
Kitchen Faucet	1.8 gals/min

<b>COMMERCIAL</b>	
Water Closet	1.28 gals/flush
Urinal	0.5 gals/flush
Showerhead	2.0 gals/min
Multiple Showerheads	2.0 gals/min combined
Lavatory Faucet	0.5 gals/min
Kitchen Faucet	1.8 gals/min