



**City of Anderson**  
**Development Services Department**  
**Building Division**  
1887 Howard Street  
Anderson CA, 96007  
Telephone (530) 378-6636  
**PEX FLUSHING CERTIFICATE OF COMPLIANCE**  
*(For All New PEX Piping Installations)*

Information  
Bulletin  
**PLG-02**  
Eff. 4-14-2016  
Rev. 7-27-2018

**PURPOSE:** To ensure proper flushing procedures are completed upon installation of PEX piping systems in new construction.

**AUTHORITY:** 2016 California Plumbing Code, Section 604.1.2

*"All installations of PEX pipe where it is the initial plumbing piping installed in new construction shall be flushed twice over a period of at least one week. The pipe system shall be first flushed for at least 10 minutes and then filled and allowed to stand for no less than 1 week, after which all the branches of the pipe system must be flushed long enough to fully empty the contained volume. This provision shall not apply to the installation of PEX pipe where it replaces an existing pipe system of any material."*

**NOTES:**

1. At the time of fill, each fixture shall have a removable tag applied stating:

**"This new plumbing system was first filled and flushed on \_\_\_\_\_ (date),**

**by \_\_\_\_\_ (name). The State of California requires that the system be flushed after standing at least one week after the fill date specified above. If this system is used earlier than one week after the fill date, the water must be allowed to run for at least two minutes prior to use for human consumption. This tag may not be removed prior to the completion of the required second flushing, except by the building owner or occupant."**

2. The Building Official shall not give final permit approval of any PEX plumbing installation unless he or she finds that the material has been installed in compliance with the requirements of the Code, including the requirements to flush and tag the systems.

3. Any contractor or subcontractor found to have failed to comply with the PEX flushing requirements shall be subject to the penalties in Health and Safety Code, Division 13, Part 1.5, Chapter 6 (Section 17995, et seq.)

**DATA:**

1. Permit #: \_\_\_\_\_ Project Address: \_\_\_\_\_

2. General Contractor: \_\_\_\_\_ License #: \_\_\_\_\_ Class: \_\_\_\_\_

3. PEX Installation Contractor: \_\_\_\_\_ License #: \_\_\_\_\_ Class: \_\_\_\_\_

**CERTIFICATION:**

I certify that PEX piping system installed at the address listed above complies with the manufacturer's installation requirements and with applicable California Plumbing Code standards. Furthermore, I certify that I have complied with the PEX flushing procedure as set forth in Section 604.1.2 of the 2016 California Plumbing Code.

Signature: \_\_\_\_\_ Printed name: \_\_\_\_\_ Date: \_\_\_\_\_